

## Agents Causing Occupational Asthma With Key References

### High-molecular-weight agents

- Animal-derived antigens

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Laboratory animal		Laboratory worker	(1)	296	13%	17% +	34% of 255 +	ND	ND	
		Laboratory worker	(2)	5	NA	100% +	100% +	Negative precipitins	100% +	
Cow dander		Agricultural worker	(3)	49	NA	100%	ND	Immunoblotting	ND	
Cow bone dust		Butcher	(4)	1	NA	+	+	Immunoblotting	+	
Monkey dander		Laboratory worker	(5)	2	NA	2 +	2 +	ND	ND	
Deer dander		Farmer	(6)	1	NA	+	ND	ND	+	
Mink urine		Farmer	(7)	1	NA	+	-	ND	+	
Chicken		Poultry worker	(8)		NA	79% +	79% +	ND	1/1 +	
		Poultry worker	(9)	4	NA	+ to feathers	ND	ND	+	
Goat dander		Butcher, veterinarian	(10)	3	NA	+	+	Immunoblotting, crossreactivity to cow epithelium	+	
Goat cheese (goat whey)		Cheese production process	(11)	1	NA	+(goat whey)	ND	Immublotting	+	
Pig		Butcher	(12)	1	NA	ND	+	ND	ND	PEF
Pig gut (vapour from soaking water)		Pork producer	(13)	1	NA	+	+	Immunoblot	+	(soaking water)
Frog		Frog catcher	(14)	1	NA	+	+	Negative precipitins	ND	
Lactoserum		Dairy industry	(15)	1	NA	+	ND	+ Basophil degranulation	+	
Raw beef		Cook	(16)	1	NA	+	ND	SDS-PAGE	+	
Bovine serum albumin	9048-46-8	Laboratory technician	(17)	1	NA	+	ND	ND	+	
Lactalbumin		Bakery and dairy	(18)	2	NA	+	+	ND	+	
Casein (cow's milk)	9000-71-9	Tanner	(19)	1	NA	ND	+	ND	+	
Egg protein		Egg producer	(20)	188	7%	34% +	29% +	ND	ND	PEF, 7% +
Endocrine glands		Pharmacist	(21)	1	NA	+	ND	ND	+	
Bat guano		Various	(22)	7	NA	+	+	RAST inhibition	ND	

## Agents Causing Occupational Asthma With Key References

### • Animal-derived antigens

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Ivory dust		Ivory worker	(23)	1	NA	Negative	ND	ND	+	FEV1 at work
Nacre dust		Nacre buttons	(24)	1	NA	+	ND	Negative precipitins	+	
Sericin	60650-88-6	Hairdresser	(25)	2	NA	1/1 +	ND	ND	ND	
Birds		Zoo keepers	(26)	200	13.6% (of 147 with sensitization)	8% (of 147)	72%	ND	ND	
African penguin		Animal behaviourist	(27)	1	NA	ND	ND	Western blot (serum and mucus proteins)	ND	PEF changes
Royal jelly		Technicians in Pharmacy	(28)	2	NA	+	+	Immunoblotting	+(1)	PEF

## Agents Causing Occupational Asthma With Key References

### • Crustacea, seafoods, fish

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Crab		Snow-crab processor	(29)	303	16%	22% +	ND	ND	72% of 46 +	PEF, PC20
Prawn		Prawn processor	(30)	50	36%	26% +	16% +	ND	2/2 +	
Hoya (Oyster Farm Prawn or Sea-Squirt)		Oyster farm	(31)	1413	29%	82% of 511 with asthma +	89% of ~180 with asthma +	ND	ND	
Clam and shrimp		Food processor	(32)	2	4%	+	+	RAST inhibition	+	PC20
Lobster and shrimp		Fishmonger shop	(33)	1	NA	+	+	ND	+	
Gammarus shrimp		Fishfood factory	(34)	1	NA	+	+	SDS-PAGE	+	PC20
Scallop and shrimp		Restaurant seafood handler	(35)	1	NA	+	+	SDS-PAGE	+	PEF
King scallop and queen scallop		Scallop plant processor	(36)	1	NA	ND	+	SDS-PAGE	ND	PEF
Cuttle-fish		Deep-sea fisherman	(37)	66	Incidence of 1% per year	ND	ND	ND	ND	
Cuttle fish bone		Jewellery polisher	(38)	1	NA	+	ND	ND	+	
Salmon		Processing plant	(39)	291	8% (n=24)	ND	25 (9%)	Specific IgG (33%)	ND	PEF
Trout (?)		Trout processor	(40)	5	NA	ND	100% Negative	100% +	ND	
Turbot		Fish farm	(41)	3	NA	+(3)	ND	SDS-PAGE	ND	PEF
Alaska pollock and Yellowfin sole		Workers on factory ships	(42)	7	NA	+	ND	ND	+	
Shrimpmeal ( <i>Artemia salina</i> )		Restaurant worker	(43)	1	NA	+	ND	ND	+	
		Technician	(44)	1	NA	+	+	ND	+	
Red soft coral		Fisherman	(45)	74	9%	2/2 +	ND	ND	ND	
Marine sponge		Laboratory grinder	(46)	1	NA	+	ND	Precipitins	ND	Asthma attack at work
Shark cartilage		Dietetic product	(47)	1	NA	+	ND	immunoblotting	+	
Octopus		Canning factory	(48)	1	NA	+	+	SDS-PAGE; immunoblot	+	
Various fishes		Fish-processor	(49)	2	NA	+	+	ND	+	PEF
Squid ( <i>Loligo vulgaris</i> )		Seafood production worker	(50)	1	NA	+	ND	ND	+	Eosinophilia (tears, nasal fluid, sputum)

## Agents Causing Occupational Asthma With Key References

- Crustacea, seafoods, fish

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Shrimp shell powder		Processing plant	(51)	1	NA	ND	-	Increase in specific IgG	+	Possible associated extrinsic alvéolitis

## Agents Causing Occupational Asthma With Key References

### • Arthropods

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Grain pests (Eurygaster and Pyrale)		Farmer	(52)	15	NA	+	+	RAST inhibition	+	
Locust		Laboratory worker	(53)	118	26%	32% of 113 +	Done	Specific IgG	ND	Reduced FEV1
		Laboratory worker	(54)	15	60%	77% +	53%	RAST inhibition	ND	
Screw worm fly (Cochliomyia homnivorax)		Flight crew	(55)	182	25%	91% of 11 +	ND	ND	ND	
Caddis flies (Phryganeidae)		Engineer at electric power plant	(56)	1	NA	+	ND	ND	+	
Cricket		Laboratory worker	(57)	2	NA	+	+	Passive transfer	+	
Insect larvae (Galleria mellonella)		Fish bait breeder	(58)	14	NA	+	+	RAST inhibition	+	PEF
		Fish bait farmer	(59)	76	4%	32%	19%	ND	ND	
Moth, butterfly		Entomologist	(60)	2	NA	+	ND	ND	ND	
Mexican bean weevil (Zabrotes subfaciatus Boh.)		Seed house	(61)	2	NA	+	ND	Passive transfer	ND	
Fruit fly		Laboratory worker	(62)	22	32%	27% +	27% +	RAST inhibition	21% of 14 +	
Mediterranean fruit fly (Ceratitis capitata)		Producer of flies	(63)	2	NA	+ in two	+ in two	immunoblotting	+ in two	PEF
Honeybee		Honey processors	(64)	1	NA	+	+	ND	+	
Green bottle fly larvae (Lucilla caesar)		Angler	(65)	14	NA	13/14	13/14	RAST inhibition	7/7 +	
Lesser mealworm (Alphitobius diaperinus Panzer)		Entomologist	(66)	3	NA	Negative	100% of 3 +	RAST inhibition	ND	
Mealworm larvae (Tenibrio molitor)		Fish bait handler	(67)	5	NA	4/5	2/5	RAST inhibition	2/2	
Bruchus lentis		Agronomist	(68)	1	NA	+	+	Immunoblotting	+	
Daphnia		Fish food-store	(69)	2	NA	+	+	ND	2/2 +	
Sheep blowfly (Lucilia cuprina)		Technician	(70)	53	24%	ND	67% of 15 +	ND	ND	
Grasshoper		Laboratory worker	(71)	16	25% (n=4)	7 (44%)	ND	ND	+ In one	
Grasshopper (Locusta migratoria)		Laboratory worker	(72)	3	NA	+	+	SDS-PAGE	ND	

## Agents Causing Occupational Asthma With Key References

### • Arthropods

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Sewer fly ( <i>Psychoda alternata</i> )		Sewage plant worker	(73)	1	NA	+	+	Histamine release F +	+	
Chiromids midge ( <i>Chironomus thummi</i> )		Aquarist, fish-food	(74)	225	45%	80%	34%	ND	ND	
Beetles ( <i>Coleoptera</i> )		Museum curator	(75)	1	NA	+	ND	Passive transfer	ND	
Dermestidae spp		Wool worker	(76)	1	NA	+	+	SDS-PAGE	+	
Confused flour beetle ( <i>Tribolium confusum</i> )		Mechanic in a rye plant	(77)	1	NA	+	+	ND	ND	
<i>Liposcelis decolor</i>		Carpenter (work close to a granary)	(78)	1	NA	+	+	SDS-Page	ND	Improvement in symptoms away from work
Silkworm		Silk worker	(79)	53	34%	ND	ND	ND	ND	
Herring worm ( <i>Anisakis simplex</i> )		Chicken breeder Fish monger	(80)	2	NA	+	+	Immunoblotting	+	
		Fish processing	(81)	578	1%	6%	ND	ND	ND	
Larva of silkworm		Sericulture	(82)	5519	0,2%	100% of 9 (?) +	1 / 1 (?) +	PK	100% of 9 +	
Fish-feed <i>Echinodorus</i> larva ( <i>Echinodorus plamosus</i> )		Fish-food handler	(83)	1	NA	+	+	ND	+	
Arthropods ( <i>Chrysoperla carnea</i> , <i>Leptinotarsa decemlineata</i> , <i>Ostrinia nubilalis</i> and <i>Ephestia kuehniella</i> )		Technician	(84)	3	23%	ND	+	ND	ND	
Ground bug		Bottling	(85)	1	NA	+	+	ND	ND	PEF
Nematode ( <i>Steinernema feltiae</i> )		Technician	(86)	1	NA	+	+	ND	+	

## Agents Causing Occupational Asthma With Key References

### • Acarians

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Grain mite		Farmer	(87)	290	12%	21% +	19% of 219 +	ND	ND	
		Grain-store worker	(88)	133	33%	25% +	23% of 128 +	ND	1/1 +	21% of 116 with + PC20
Mites and parasites		Flour handler	(89)	12	NA	ND	+	ND	ND	
Amblyseius cucumeris		Horticulturist	(90)	472	25,7%	23%	Done in some	ND	ND	With + PC 20 nasal challenges
Fowl mite		Poultry worker	(91)	13	NA	77% +	60%	ND	1/1 +	
Barn mite		Farmer	(92)	38	NA	100% +	~100%	ND	ND	
Fruit tree red spider mite (Panonychus ulmi)		Apple grower	(93)	4	NA	+	ND	Negative precipitins	ND	
Citrus red mite (Panonychus citri)		Citrus farmer	(94)	16	NA	+	+	RAST inhibition	+ (One)	
McDaniel spider mite (Tetranychus macdanieli)		Vine grower	(95)	35	11% (4/35)	100%	ND	ND	ND	
Two spotted spider mite (Tetranychus urticae)		Farmer	(96)	16	35% (16/46)	100%	100%	ND	ND	

## Agents Causing Occupational Asthma With Key References

### • Molds

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Dictyostelium discoideum (mold)		Technician	(97)	1	NA	+	+	ND	Workplace +	
Aspergillus niger	68038-55-1	Technician	(98)	3	1%	3 +	ND	ND	ND	
Aspergillus (unspecified)		Beet sugar worker	(99)	1	1%	+	+	ND	ND	
		Baker	(100)	1	NA	+	ND	Negative precipitins	+	
Alternaria		Baker	(100)	1	NA	+	ND	Negative precipitins	+	
Trichoderma koningii	67892-32-4	Sawmill worker	(101)	1	NA	ND	ND	Precipitins specific IgG	ND	PEF
Plasmopara viticola		Agricultural	(102)	1	NA	+	+	Various	+	
Neurospora		Plywood factory worker	(103)	1	NA	+	+	ND	+	
Chrysonilia sitophila		Logging worker	(104)	1	NA	+	+	ND	ND	PEF
		Coffee maker	(105)	1	NA	+	+	ND	+	
Rhizopus nigricans		Coal miner	(106)	1	NA	+	+	ND	+	
Sooty molds (Ascomycetes, deuteromycetes)		Laborer	(107)	1	NA	+	ND	ND	ND	
Penicillium nalgiovensis		Sausage processing	(108)	1	NA	+	ND	+ precipitins	ND	
Mucor species (contaminating esparto fibers)		Stucco worker	(109)	1	NA	+	ND	ND	+	



## Agents Causing Occupational Asthma With Key References

### • Mushrooms

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Mushroom unspecified		Mushroom soup processor	(110)	8	NA	+	ND	ND	50% of 8 +	
Pleurotus cornucopiae		Mushroom producer	(111)	1	NA	ND	+	Immunoblotting	ND	PEF
Boletus edulis		Office worker, cook, hotel manager	(112)	3	NA	+	+	ND	2+	
Agaricus bisporus (White mushroom)		Agriculture	(113)	2	NA	+	+	SDS Page	ND	PC20
Pleurotus ostreatus (Spores of White spongy rot)		Seller	(114)	1	NA	+	+	Immunoblotting	+	
Sweetpea (Lathyrus odoratus)		Greenhouse worker	(115)	1	NA	+	+	ND	ND	PEF
Baker's yeast (Saccharomyces cerevisiae)	68876-77-7	Baker	(116)	1	NA	+	+	ND	+	PEF
Shiitake (lentinus edodes)		Packager of dried mushrooms	(117)	1	NA	+	ND	immunoblotting	ND	improvement in spirometry away from work

### • Algae

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Chlorella		Pharmacist	(118)	1	NA	+	ND	ND	+	PEF
Algae (specie unspecified)		Thalassotherapist	(119)	1	NA	ND	ND	ND	ND	+

## Agents Causing Occupational Asthma With Key References

### • Flours

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Wheat, rye and soya flour		Baker	(120)	279	35%	9% + (cereals)	ND	ND	ND	FEV1, PC20
		Baker	(121)	7	100%	100% +	100% +	100% negative	57% +	
		Baker	(122)	9	100%	ND	100% +	Western blotting, etc.	ND	
Hydrolyzed wheat protein		Hairdressers	(123)	2	NA	+ (laudimonium hydroxypropyl)	Neg with flours and gliadin	ND	+ in one	+ nasal challenge in one subject
White pea flour ( <i>Lathyrus sativus</i> )	92128-86-4	Flour handler	(124)	1	NA	+	ND	+ Precipitins	+	
Buckwheat flour		Baker	(125)	3	NA	100% +	ND	ND	ND	
Konjac flour		Flour handler	(126)	1	NA	+	+	RAST inhibition	+	
White Lupin flour ( <i>Lupinus albus</i> )		Food processing	(127)	1	~2%	+	+	ND	+	
Marigold flour ( <i>Tagetes erecta</i> )		Animal fodder	(128)	1	NA	+	+	Immunoblotting	ND	+ Nasal challenge

## Agents Causing Occupational Asthma With Key References

### • Pollens

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Bell pepper		Greenhouse worker	(90)	472	13.3%	35.4%	18.6%	ND	ND	
Brassica oleracea (cauliflower and broccoli)		Vegetable plant	(129)	54	38%	39%	58%	ND	ND	
Sunflower ( <i>Helianthus</i> spp)		Laboratory worker	(130)	1	NA	+	+	RAST inhibition	+	
<i>Helianthus annuus</i>		Processing worker	(131)	102	16.6%	23.5%	ND	ND	ND	
Canari island date palm ( <i>Phoenix canariensis</i> )		Gardener	(132)	1	NA	+	+	ND	+	
White mustard ( <i>Sinapis alba</i> )		Olive farmers	(133)	11	NA	+	+	ND	ND (nasal challenge)	
Cyclamen		Florist	(134)	2	NA	+	+	ND	ND	
Eggplant ( <i>Solanum melongena</i> )		Greenhouse worker	(135)	1	NA	+	ND	ND	+ conjunctival	PEF
Chrysanthemum		Greenhouse worker	(136)	104	9%	20,2%	+ in some	ND	ND	
Bell of Ireland ( <i>Molucella laevis</i> )		Grower	(137)	1	NA	+	+	ND	+	
Rose		Culture of roses	(138)	290	6,2%	ND	19,5%	Immunoblotting	ND	
Thale cress ( <i>Arabidopsis thaliana</i> )		Research student	(139)	1	NA	+	ND	ND	+	PEF

## Agents Causing Occupational Asthma With Key References

### • Plants

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Grain dust		Grain elevator	(140)	610	~40%	9% +	ND	Negative precipitins	ND	Spirometry pre-post shift
		Grain elevator	(141)	502	47%	~ 50% of 51 exposed +	ND	ND	ND	FEV1, volumes
		Grain elevator	(142)			of 51 exposed +				
		Grain elevator	(143)	22	NA	0% +	ND	Negative precipitins	27% +	50% PC20 +
		Baker	(116)	1	NA	+	+	ND	+	PEF
Triticale (Tricosecale Wittmack) (hybrid cereal of rye and wheat)		Farmer	(144)	1	NA	+	+	Immunoblotting	ND	Spirometry ( at work, off work)
Rice		Rice mill worker	(145)	3	NA	+(3)	+	IgE inhibition test	+	
Vetch ( <i>Vicia sativa</i> )		Farmer	(146)	1	NA	+	+	+ Preciptins, passive transfer	+	
Coffee bean		Food processor	(147)	372	34%	24% +	12% +	ND	ND	Lung function
		Emptying	(148)	45	9%	9-40% +	ND	ND	ND	Spirometry
		Roastery	(149)	22	NA	82% +	50% +	ND	67% of 12 +	PC20 + in 14
Castor bean		Oil industry	(150)	14	NA	100% +	100% +	ND	ND	
Green bean ( <i>Phaseolus multiflorus</i> )		Cook	(151)	1	NA	+	+	Histamine	+	
Carob bean		Jam factory	(152)	1	NA	-	+	ND	+	
Lima bean ( <i>Phaseolus lunatus</i> )		Cake processor	(153)	1	NA	+	ND	+ basophil activation	+	
Soybean ( <i>Glycine maxima</i> )		Soyabean processers	(154)	144	20.8%	ND	ND	ND	ND	
Almond shell dust		Sheller	(155)	1	NA	-	-	ND	+	
Tea plant dust ( <i>Camellia sinensis</i> )		Tea processor	(156)	3	NA	+	+	+ PCA with catechin	+	
Herbal tea		Herbal tea processor	(157)	1	NA	ND	Negative	ND	+	
Tobacco leaf		Tobacco manufacturer	(158)	1	NA	+	+	ND	+	
		Tobacco manufacturer	(159)	16	69%	ND	ND	ND	ND	PEF
Wonji ( <i>Polygala tenuifolia</i> )		Herbal manufacture	(160)	1	NA	+	+	SDS-PAGE	+	

## Agents Causing Occupational Asthma With Key References

### • Plants

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Copperleaf ( <i>Acalypha wikesiana</i> )		Gardener	(161)	1	na	+	neg	Immunoblotting	+	
Hops		Brewery chemist	(162)	1	NA	+	ND	ND	ND	
Baby's breath ( <i>Gypsophila paniculata</i> )		Florist	(163)	1	NA	+	+	Histamine release	+	
Freesia ( <i>Freesia hybride</i> ) and paprika ( <i>Capricum anuum</i> )		Horticulture	(164)	2	NA	+	+	Histamine release	ND	
Flower (various)		Flower industry	(165)	40	7.7%	+ (21%, flowers)	ND	ND	3 subjects +	
Amaryllis ( <i>Hippeastrum</i> sp)		Greenhouse worker	(166)	1	NA	+	+	ND	+	PEF
Chamomile (unspecified)		Cosmetician	(167)	1	NA	+	ND	ND	+ Nasal challenge	
		Tea-packing worker	(168)	1	NA	+	+	ND	+	
Statice ( <i>Limonium tartaricum</i> )		Floral worker	(169)	1	NA	+	+	ND	ND	PEF
Sea lavender ( <i>Limonium sinuatum</i> )		Owner of greenhouse	(170)	1	NA	+	+	Immunoblotting	+	
Decorative flower		Floral worker	(171)	4	NA	+ 2/4	+ 2/4	ND	+ 3/4	
Safflower ( <i>Carthamus tinctorius</i> ) and yarrow ( <i>Achilea millefolium</i> )		Floral worker	(172)	1	NA	+	+	Immunoblotting	+	
Spathe flower		Floral worker	(173)	1	NA	+	+	Immunoblotting	Negative (done 8 months later)	
Peach		Factory worker	(174)	1	NA	+	+	ND	+	
Peache leave		Fruit grower	(175)	1	NA	+	+	Immunoblotting	+	
Ivy ( <i>Hedera helix</i> )		Florist	(176)	1	NA	-	ND	ND	+	PEF
Madagascar jasmine sap ( <i>Stephanotis floribunda</i> )		Greenhouse worker	(177)	4	50%	+	+	ND	+ In one	PEF
Herb material		Herbal worker	(178)	1	NA	+	+	Identification of 3 protein fractions	+	
Umbrella tree ( <i>Schefflera</i> )		Landscape gardener	(179)	1	NA	+	+	ND	ND	
Passion flower ( <i>Passiflora alata</i> ) & Cascara sagrata ( <i>Rhamnus purshiana</i> )		Technician pharmacy	(180)	1	NA	+	+	Immunoblotting	+	

## Agents Causing Occupational Asthma With Key References

### • Plants

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Sarsaparilla root		Herbal tea worker	(181)	1	NA	+	+	ND	+	
Olive oilcake		Oil industry	(182)	1	NA	+	ND	ND	+	
Brazil ginseng ( <i>Pfaffia paniculata</i> )		Medicinal plant processor	(183)	1	NA	+	+	Negative precipitins	+	
Sanyak ( <i>Dioscorea batatas</i> ) and Korean ginseng ( <i>Panax ginseng</i> )		Herbal merchant	(184)	1	NA	+	+	Immunoblotting	+	
Voacanga Africana seed dust		Chemist' spouse	(185)	1	NA	+	+	Negative precipitins	+	
Tampico fiber in agave leaves		Brusk-makers	(186)	2	NA	+	ND	Immunoblotting	+	
Onion		Homemakers	(187)	3	NA	+	+	ND	+	
Onion seeds ( <i>Allium cepa</i> , red onion)		Seed packing	(188)	1	NA	+	+	Immunoblotting	+	
Feenel seed		Sausage processing	(189)	1	NA	ND	+	Immunoblotting	ND	
Sesame seed		Baker	(190)	1	NA	+	+	Immunoblotting	+	
Linseed oilcake		Chemist	(191)	1	NA	+	+	ND	+	
Grass juice		Gardener	(192)	1	NA	+	+	Immunoblotting	+	
Potato		Housewife	(193)	2	NA	+	+	Histamine release	+	
Citrus food handling (d,l-limonene, citronellol and dichloroprene)		Labourer	(194)	1	NA	-	+	ND	ND	
Carrot ( <i>Daucus carota</i> L.)		Cook	(195)	1	NA	+	+	SDS-PAGE	+	
Asparagus		Food processor	(196)	1	NA	+	+	Immunoblotting	+	
Courgette		Fruit warehouse	(197)	1	NA	+	+	ND	ND	
Cauliflower and cabbage		Restaurant	(198)	1	NA	+	+	ND	+	
Spinach powder		Pasta factory	(199)	1	NA	+	+	Lymphocyte activation test	+	Eosinophils in BAL
Swiss chard ( <i>Beta vulgaris</i> L. <i>cycla</i> )		Housewife	(200)	1	NA	+	+	Histamine release	+	
Cacoon seed ( <i>Entage gigas</i> )		Decorator	(201)	1	NA	+	ND	ND	ND	
Dusts from seeds of Sacha Inchi ( <i>Plukenetia volubis</i> )		Cosmetic factory	(202)	1	NA	+	ND	SDS-PAGE	+	

## Agents Causing Occupational Asthma With Key References

### • Plants

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Chicory		Vegetable wholesaler	(203)	1	NA	+	+	Immunoblotting	ND	
Rose hip		Pharmaceutical	(204)	9	NA	67% +	67% +	ND	50% of 4 +	
Garlic dust		Food packaging	(205)	1	NA	+	+	ND	+	
		Food packaging	(206)	1	NA	+	+	RAST inhibition	+	
Liquorice roots (Glycyrrhiza spp)		Herbalist	(207)	1	NA	+	+	ND	+	
Esparto (Stipa tenacissima and Lygeum spartum)		Stucco handler	(208)	1	NA	+	+	Immunoblotting	ND	PEF
Spice		Spices processing	(209)	1	NA	+	+	ND	ND	
Saffron (Crocus sativus)	89899-18-3	Saffron processor	(210)	5	10%	6%+	26%	Immunoblotting RAST inhibition	+ In one	
Aromatic herb		Butcher	(211)	1	NA	+	+	ND	+	PEF
Lycopodium powder		Powder	(212)	30	7%	ND	ND	ND	2/2 +	
Weeping fig (Ficus benjamina)		Plant keeper	(213)	84	7%	21% +	21%	ND	100% of 6 +	PC20
Henna (unspecified)		Hairdresser	(214)	2	NA	+	+	ND	1/2 +	
Fenugreek	68990-15-8	Food industry	(215)	1	NA	+	+	ND	ND	
Aniseed		Food industry	(216)	1	NA	+	+	ND	+	
Kapok		Sewer	(217)	1	NA	-	-	ND	+	Lung function
Argan (Argania spinosa)		Cosmetic factory	(218)	3	33.3% (3/9)	+ in one	negative	Immunoblotting	+	
Miracle tree (Moringa oleifera) seed		Technician (cosmetic factory)	(219)	1	NA	+	ND	+ SDS-Page	+	PEF
Melon		Agricultural worker	(220)	1	NA	+	ND	Immunoblotting	+	

## Agents Causing Occupational Asthma With Key References

### • Plant-derived natural products

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Gluten	8002-80-0	Baker	(221)	1	NA	+	+	RAST inhibition	+	
Soybean lecithin	8002-43-5	Baker	(222)	2	NA	+	+	ND	+	
Pectin	9000-69-5	Christmas candy maker	(223)	1	NA	+	-	Specific IgG4	+	
Latex		Glove manufacturer	(224)	81	6%	11%+	ND	ND	ND	PEF
		Health professional	(225)	7	2,5%	4,7% +	ND	ND	+	
Rose oil	8007-01-0	Rose extraction	(226)	52	NA	+	ND	ND	ND	



## Agents Causing Occupational Asthma With Key References

### • Biologic enzymes

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Bacillus subtilis	68038-70-0	Detergent industry	(227)	1642	3,2% (over 7 years)	4,5-75% +	26% of 248 +	ND	ND	Lung function
		Factory worker	(228)	38	NA	66% +	ND	Passive transfer, 100% of 5 + Precipitin (nonspecific)	90% +	Lung function
Trypsin	9002-07-7	Plastic, pharmaceutical	(229)	14	29%	+	+	ND	75 % of 4 +	
Papain	9001-73-4	Pharmaceutical	(230)	29	45%	34% +	34% +	ND	89% of 9 +	
Pepsin	9001-75-6	Pharmaceutical	(231)	1	NA	+	+		+	
Pancreatin	8049-47-6	Pharmaceutical	(232)	14	NA	93% +	100% of 3 +	ND	100% of 8 +	Lung function
		Pharmaceutical	(233)	3	NA	+	+	+ Precipitin	ND	
Bromelin	9001-00-7	Pharmaceutical	(234)	76	11%	25% +	ND	ND	ND	
		Pharmaceutical	(235)	2	NA	+	ND	ND	2/2 +	
Egg lysosyme	12650-88-3	Pharmaceutical agent	(236)	1	NA	+	+	ND	+	PEF
Fungal amylase	9013-01-8	Baker	(237)	118	NA	100% of 10 +	2% exposed 34% occup. asthma +	ND	ND	
		Baker	(238)	1	NA	+	+	ND	+	
Phytase from Aspergillus niger	37288-11-2	Technician	(239)	53	36%	ND	+	SDS-PAGE	ND	
Fungal amyloglucosidase and hemicellulase		Baker	(240)	140	NA	ND	5-24%	ND	ND	
Serratial peptidase and lysozyme chloride		Pharmaceutical	(241)	1	NA	ND	+	Immunoblotting	+	
Esperase	9073-77-2	Detergent industry	(242)	667	NA	ND	5%	ND	ND	
Xylanase	37278-89-0	Laboratory worker	(243)	2	NA	2	2	ND	ND	PEF
Pectinase and glucanase		Fruit processor	(244)	3	NA	ND	Pos	Immunoblotting	ND	PEF
Lactase	9031-11-2	Pharmaceutical	(245)	207	4%	31% +	ND	ND	ND	
Empynase (pronase B)		Hospital personnel	(246)	154	3.9%	20%	+	Immunoblotting	ND	
Various enzymes in rennet production (proteases, pepsine, chymosines)		Cheese producer	(247)	35	17%	40%+	ND	ND	ND	

## Agents Causing Occupational Asthma With Key References

### • Biologic enzymes

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Lallzyme EX-V (from <i>Aspergillus niger</i> )		Wine cellar	(248)	1	NA	+	ND	Immunoblotting	+	

### • Vegetable Gums

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Acacia	9000-01-5	Printer	(249)	63	19% of 31 (selection)	ND	ND	ND		
		Printer	(250)	10	NA	+	ND	Passive transfer (3 +)	ND	
Tragacanth	9000-65-1	Gum importer	(251)	1	NA	+	ND	ND	ND	
Karaya	9000-36-6	Hairdresser	(252)	9	4%	+	ND	Passive transfer	ND	
Guar	9000-30-0	Carpet manufacturing	(253)	162	2%	5% +	8% +	ND	67% of 3 +	PC20
Gutta-percha	9000-32-2	Dental hygienist	(254)	1	NA	+	ND	ND	ND	

## Agents Causing Occupational Asthma With Key References

### Low-molecular-weight agents

#### • Diisocyanates

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Toluene diisocyanate	26471-62-5	Polyurethane	(255)	112	12,5%	3% +	0% +	0%+	45% of 11+ PCA	
		Plastics	(256)	26	NA	ND	19% +	ND	100% +	
		Varnish	(257)	195	28%	ND	5% +	ND	70% of 17+	
		(?)	(258)	91	NA	NA	ND	0% +	ND	Specific IgG
		(?)	(259)	162 †	NA	ND	ND	ND	57% +	
Diphenylmethane diisocyanate	26447-40-5	Foundry	(260)	11	NA	ND	27% +	36% + Specific IgG	54,5% +	
		Foundry	(261)	76	13%	ND	3% +	7% + Specific IgG	ND	
		Steel foundry	(262)	26	27%	4% +	4% +	15% + Specific IgG	ND	
1,5-Naphthylene diisocyanate	3173-72-6	Manufacture rubber	(263)	3	NA	ND	ND	ND	100%+	
Isophorone diisocyanate	4098-71-9	Spray painter	(264)	1	NA	ND	ND	ND	+	
Prepolymers of TDI		Floor varnisher	(265)	2	NA	ND	0% +	Specific IgG negative	+	
Prepolymers of HDI		Spray painter	(266)	9	45%	ND	33% +	56% +	+	

### Agents Causing Occupational Asthma With Key References

#### • Combination of diisocyanates

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
TDI, MDI, HDI, PPI		Spray painters	(267)	51	11,8% *	ND	ND	ND	60% of 10 + to PPI	
TDI, MDI, HDI		Various industries	(268)	24	NA	ND	ND	ND	70% + to TDI 33% + to MDI 33% of 9 + to HDI	
		Chemical manufacturing	(269)	247 †	NA	60% of 53 + 14% +	ND	ND		
		Paint shop	(270)	62	NA	ND	15% +	47%+ Specific IgG	6% + to TDI 16% to MDI 24% to HDI	
TDI, MDI		Chemical manufacturing	(271)	28	NA	ND	27% of 22 + TDI-HSA 83% of 6 + MDI- HSA	ND	100%+	

#### • Other hardeners

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Triglycidyl isocyanurate	2451-62-9	Spray painter	(272)	1	NA	ND	ND	ND	+	PEF
Polyfunctional aziridine		Hardener in paints	(273)	7	NA	33% of 7	ND	ND	+ In 7	
Bisphenol A diglycidyl ether (BADGE)	1675-54-3	Epoxy resin	(274)	1	NA	+	+	ND	+	

## Agents Causing Occupational Asthma With Key References

### • Anhydrides

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Phthalic anhydride	85-44-9	Plastics	(275)	1	NA	+	+	ND	+	
		Toolsetter, resin plant agent	(276)	3	NA	ND	ND	ND	100% +	
		Production of resins	(277)	118	28%	18% of 11 +	ND	ND		
		Production of resins	(278)	60	14%	ND	7% +	17% + Specific IgG	ND	
Trimellitic anhydride	552-30-7	Epoxy resins, plastics	(279)	4	NA	100% +	75% +	100% +	100% of 1 +	
Tetrachlorophthalic anhydride	117-08-8	Epoxy resins, plastics	(280)	5	NA	ND	ND	ND	100% +	
		Factory (plastic coating)	(281)	7	NA	100% +	100% +	ND	100% +	
Pyromellitic dianhydride	89-32-7	Epoxy adhesive	(282)	7	NA	ND	ND	ND	30% +	
Methyl tetrahydrophthalic anhydride (MTHPA)	11070-44-3	Curing agent	(283)	1	NA	+	+	Negative Specific IgG	ND	Improvement with removal
Hexahydrophthalic anhydride (HHPA)	85-42-7	Chemical worker	(284)	1	NA	ND	ND	ND	+	PEF
		Electrical plant	(285)	109	5,4%	ND	15,4%	ND	6/17	
Himic anhydride	2746-19-2	Manufacture of flame retardant	(286)	20	35%	ND	40% of 7 +	RAST inhibition	ND	
Chlorendic anhydride	115-27-5	Mechanic	(287)	1	NA	+	+	ND	+	PEF
Maleic anhydride	108-31-6	Polyester resin production	(288)	1	NA	ND	ND	ND	+	
Diocetyl-phthalate	117-81-7	Production of PVC	(289)	1	NA	ND	ND	ND	ND	PEF

## Agents Causing Occupational Asthma With Key References

### • Aliphatic amines (ethyleamines)

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Ethylene diamine	107-15-3	Shellac handler	(290)	7	NA	100% +	ND	ND	100% +	
		Photography	(291)	1	NA	ND	ND	ND	+	
Ethylene diamine tetraacetic acid (EDTA) sodium salts		Cleaners and health care professionals	(292)	8	NA	ND	ND	ND	+ (nasal)	PC20
Hexamethylene tetramine	100-97-0	Lacquer handler	(290)	7	NA	100% +	ND	ND	100% +	
Aliphatic polyamine		Chemical factory	(293)	12	33,3%	ND	ND	ND	100% of 2 +	
Triethylene tetramine	112-24-3	Aircraft filter	(276)	1	NA	ND	ND	ND	+	
Mixture of trimethyl-hexanediamine and isophorondiamine		Floor covering material, salesman	(294)	1	NA	-	ND	ND	+	BAL

### • Aliphatic amines (ethanolamines)

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Monoethanolamine	141-43-5	Beauty culture	(290)	10	100% +	ND	ND	ND	100% +	
Triethanolamine	102-71-6	Metal worker	(295)	2	NA	ND	ND	ND	100% of 2	
Aminoethylethanolamine	111-41-1	Soldering	(296)	3	NA	ND	ND	ND	100% +	
		Cable jointer	(297)	2	NA	ND	ND	ND	+	
Dimethylethanolamine	108-01-0	Spray paint	(298)	1	NA	-	ND	ND	+	

### • Aliphatic amines (others)

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
3-(Dimethylamino)propylamine (3-DMAPA)	109-55-7	Ski manufacture	(299)	34	11,7%	ND	ND	ND	ND	Cross-shift change in FEV1

## Agents Causing Occupational Asthma With Key References

### • Heterocyclic amines

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Piperazine hydrochloride	142-64-3	Chemist	(300)	2	NA	50% +	ND	ND	100%	
		Pharmaceutical	(301)	131	11,4%	ND	ND	ND	100% of 1 +	
		Chemical plant	(302)	2	NA	50% +	100% +	ND	ND	
N-Methylmorpholine	109-02-4	Chemical manufacturing	(303)	48	16,6% **	ND	ND	ND	ND	
4,4-methylene-bismor-pholine		Machine tool setter operator	(304)	1	NA	+	ND	ND	+	PEF

### • Aromatic amines

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Paraphenylene diamine	106-50-3	Fur dyeing	(305)	80	37,0%	66% +	ND	ND	74% +	
		Hair dyers	(306)	5	NA	neg	ND	ND	+	

### • Quaternary amines

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Benzalkonium chloride	8001-54-5	Cleaning product	(307)	1	NA	+	ND	ND	+	

### • Mixture of amines

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
EPO 60		Mould maker	(308)	1	NA	ND	ND	ND	+	

## Agents Causing Occupational Asthma With Key References

### • Fluxes

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Colophony	8050-09-7	Electronic worker	(309)	34	NA	ND	ND	ND	100% +	
		Manufacture solder flux	(310)	68 low	4%	ND	ND	ND	ND	
				14 med	21%	ND	ND	ND	ND	
				6 high	21%	ND	ND	ND	ND	
Zinc chloride & ammonium chloride flux		Metal jointing	(311)	2	NA	ND	ND	ND	+	PC20
95% Alkylaryl polyether alcohol +5% polypro-pylene glycol		Electronic assembler	(312)	1	NA	ND	ND	ND	+	
Adipic acid	124-04-9	Solderer	(313)	1	NA	ND	ND	ND	+	PEF
Lipophilic resin		Aerospace plant	(314)	1	NE	ND	ND	ND	ND	Improvement



## Agents Causing Occupational Asthma With Key References

### • Wood dust or bark

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Western red cedar ( <i>Thuja plicata</i> )		Carpentry	(315)	35	NA	ND	ND	ND	ND	Improvement on removal
		Furniture making	(316)	1320	3,4%	1,9% +	ND	ND	ND	Improvement on removal
		Cabinetmaking, carpentry	(317)	22		100% -	ND	100% - Precipitin	82% +	
		Sawmill	(318)	185		100% -	ND	ND	100% +	
		Cedar sawmill	(319)	652	4,1%	100% -	ND	ND	ND	Questionnaire
Eastern white cedar ( <i>Thuja occidentalis</i> )		Sawmill	(320)	3	4 to 7%	ND	ND	ND	+	PC20
California redwood ( <i>Sequoia sempervirens</i> )		Woodcarver	(321)	2	NA	-	ND	- Precipitin	+	
		Carpenter	(322)	1	NA	ND	ND	ND	+	
Cedar of Lebanon ( <i>Cedra</i> )		Jointer	(323)	6	NA	17% +	ND	100% - Precipitin	ND	
Spruce wood (unspecified)		Sawmill worker	(324)	1	NA	ND	+	ND	+	PEF +
Cocabolla ( <i>Dalbergia retusa</i> )		Woodworker	(325)	3	NA	100% -	ND	ND	ND	Improvement on removal
Iroko ( <i>Chlorophora excelsa</i> )		Carpenter	(326)	1	NA	+	ND	+ Precipitin	+	
		Carpenter	(327)	1	NA	ND	ND	ND	+	
		Woodworker	(328)	9	NA	4/9 with + Intradermal test	Negative	ND	+	PEF
Oak ( <i>Quercus robur</i> )		Lumber Millworkwer	(329)	1	NA	-	ND	+	+	
		Construction, carpentry	(330)	3	NA	ND	ND	+ Precipitin	+	
Mahogany (unspecified)		Pattern maker (wood)	(329)	1	NA	-	ND	+ Precipitin	+	
Abiruana ( <i>Pouteria</i> )		Furniture factory	(331)	2	NA	+	ND	- Precipitin	+	
African Maple ( <i>Triplochiton scleroxylon</i> )		Construction, carpentry	(332)	2	NA	+	+	Passive transfer	+	
		Sauna building	(333)	2	NA	100% +	100% +		+	
		Maker of wooden plane model	(334)	1	NA	+	+	ND	+	
Tanganyika aningre		Woodworker	(335)	3	NA	100% +	100% -	100% - Precipitin	100% +	

## Agents Causing Occupational Asthma With Key References

### • Wood dust or bark

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Mukali ( <i>Angineria robusta</i> )		Furniture factory	(336)	1	NA	+	+	ND	+	
Central American Walnut ( <i>Juglans olanchana</i> )	(?)		(337)	1	NA	-	-	- Precipitin	+	
Kejaat ( <i>Pterocarpus angolensis</i> )		Wood-machinist	(338)	1	NA	+	ND	ND	ND	
African zebrawood ( <i>Microberlinia</i> )		Wood-machinist	(339)	1	NA	+	+	ND	+	
Ramin ( <i>Gonystylus bancanus</i> )		Woodworker	(340)	2	NA	+	+	ND	+	
Quillaja bark ( <i>Quillaja saponaria</i> )		Saponin factory	(341)	1	NA	ND	+	ND	+	
Fernambouc ( <i>Caesalpinia echinata</i> )		Bow making	(342)	36	33,3%	100% -	ND	ND	100% of 1 +	
White ash ( <i>Fraxinus</i> )		Sawmill	(343)	1	NA	-	-	ND	+	
Common ash ( <i>Fraxinus excelsior</i> )		Furniture	(344)	1	NA	-	+	ND	+	
Pau Marfim ( <i>Balfourodendron riedelianum</i> )		Woodworker	(345)	1	NA	+	+	ND	+	
Cabreuva ( <i>Myrocarpus fastigiatus</i> Fr. All.)		Parquet floor layer	(346)	1	NA	ND	ND	ND	+	
Ebony wood ( <i>Diospyros crassiflora</i> )		Carpenter	(347)	1	NA	-	ND	ND	+	
Kotibe wood ( <i>Nesogordonia papaverifera</i> )		Cabinet maker	(348)	1	NA	+	ND	Passive transfer	+	
Cinnamon ( <i>Cinnamomum Zeylanicum</i> )		Store	(349)	40	22,5%	ND	ND	ND	100% of 1 +	
Brazilian walnut (Imbuia)		Furniture	(350)	1	NA	ND	ND	+ Precipitin	+	Negative PEF
Blackwood ( <i>Acacia Melanoxylon</i> )		Furniture	(351)	3	NA	ND	ND	ND	+	Positive PEF
African cherry (Makore)		Cabinet worker	(352)	1	NA	-	ND	ND	+	
Antiaris		Door manufacturer	(353)	1	NA	+	+	SDS-PAGE	+	
Sapele wood dust		Carpenter	(354)	1	NA	ND	ND	ND	ND	
Ipe ( <i>Tabebuia</i> spp)		Sawyer	(355)	1	NA	ND	ND	ND	+	

### Agents Causing Occupational Asthma With Key References

• **Wood dust or bark**

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Angelim pedra ( <i>Hymenolobium petraeum</i> )		Carpenter	(356)	1	NA	+	ND	SDS-PAGE	+	
Cedrorana ( <i>Cedrelinga catenaeformis</i> Ducke)		Carpenter	(357)	1	NA	+	+	SDS-PAGE	+	
Falcata ( <i>Albizia falcataria</i> )		Wood furniture	(358)	1	NA	+	ND	ND	+	
Chengal ( <i>Neobalanocarpus hemeii</i> )		Carpenter	(359)	1	NA	ND	ND	ND	+	PEF
Unidentified agent		Sawmills of eastern Canada and USA	(360)	11	NA	ND	ND	ND	+	PEF

**Agents Causing Occupational Asthma With Key References**

**• Metals**

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Platinum	7440-06-4	Platinum refinery	(361)	16	NA	62% +	ND	ND	62% +	
		Platinum refinery	(362)	136	29%	17% +	21% +	ND	ND	
Tetrachloroplatinate		Production of cytotoxic drugs (Cisplatin)	(363)	1	NA	not interpretable	ND	ND	+	
Nickel sulfate	7786-81-4	Metal plating	(364)	1	NA	+	ND	- Precipitin	+	
		Metal polisher	(365)	1	NA	+	ND	- Precipitin	+	
		Electroplating process	(366)	1	NA	+	+	ND	+	
Cobalt	7440-48-4	Hard metal grinder	(367)	4	NA	25% +	ND	ND	50% +	
		Diamond polisher	(368)	3	NA	ND	ND	ND	100% +	
Iron (unspecified)		Welders	(369)	3	NA	ND	ND	ND	+	Induced sputum
Palladium tetraamine dichloride	13815-17-3	Assembly line	(370)	1	NA	+	ND	ND	+	
Rhodium	7440-16-6	Electroplating	(371)	1	NA	+	ND	ND	+	
Zinc fumes		Solderer	(372)	2	NA	ND	ND	ND	+	
		Locksmith	(373)	1	NA	ND	ND	ND	+	
Tungsten carbide	12070-12-1	Metal grinder	(374)	1	NA	ND	ND	ND	ND	Recovery on removal
Chromium	7440-47-3	Printer	(375)	1	NA	+	ND	ND	ND	
Chromate	13907-45-4	Cement floorer	(376)	1	NA	ND	ND	ND	+	
		Plating	(377)	1	NA	+	ND	ND	ND	
		Various	(378)	4	NA	+	ND	ND	+	
Stellite (alloy containing ~60 % of cobalt, ~30 % of chromium, tungsten and carbon)		Machinist	(379)	1	NA	- to metals	ND	-	+	
Chromium & Nickel		Welder	(380)	5	NA	ND	ND	ND	100% of 2 +	
		Tanning	(381)	1	NA	-	+	ND	+	
		Electroplating	(382)	7	NA	Chrome: 29% + Nickel: 57% +	ND	ND	Chrome: 100% of 7 Nickel: 40% of 5	
Cobalt & Nickel		Hard metal plant	(383)	8	NA	Cobalt: 75% + Nickel: 62% +	Cobalt: 62% + Nickel: 50% +	ND	Both cobalt & nickel: 100% +	

## Agents Causing Occupational Asthma With Key References

### • Metals

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Aluminum	7429-90-5	Soldering	(384)	1	NA	ND	ND	ND	+	
Manganese	7439-96-5	Welder	(385)	1	NA	ND	ND	ND	+	

## Agents Causing Occupational Asthma With Key References

### • Drugs

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Penicillins & Ampicillin		Pharmaceutical	(386)	4	NA	100% -	ND	ND	75% +	
Penicillamine		Pharmaceutical	(387)	1	NA	ND	-	ND	+	PEF
Cephalosporins	11111-12-9	Pharmaceutical	(388)	2	NA	+	ND	ND	+	
		Pharmaceutical	(389)	91	8%	71% +	ND	ND	ND	Improvement off work
		Pharmaceutical	(390)	161	15.5% (symptoms)	3.1%	17.4%	ELISA INHIBITION	ND	ND
Colistin		Pharmaceutical	(391)	1	NA	ND	ND	ND	+	
Thiamphenicol	15318-45-3	Pharmaceutical	(392)	3	NA	67% +	67% +	ND	+	
7-aminocephalosporanic acid	957-68-6	Pharmaceutical	(393)	2	NA	+	+	RAST inhibition	+	
Phenylglycine acid chloride hydrochloride	39878-87-0	Pharmaceutical	(394)	24	29%	37% +	37% +	Passive transfer	100% of 2 +	
Psyllium	8063-16-9	Laxative manufacturer	(395)	3	NA	100% +	ND	ND	60% +	
		Pharmaceutical	(396)	130	4% *	19% of 120 +	26% of 118 +	ND	27% of 18 +	
		Nurse	(397)	5	NA	80% +	100% +	ND	100% +	
		Health personnel	(398)	193	4% *	3% +	12% of 162 +	ND	26% of 15 +	
Methyl dopa	555-30-6	Pharmaceutical	(399)	1	NA	-	ND	ND	+	
Spiramycin	8025-81-8	Pharmaceutical	(400)	1	NA	+	ND	ND	+	
		Pharmaceutical	(401)	51	8% *	100% -	ND	ND	25% of 12 +	
		Pharmaceutical	(402)	2	NA	ND	-	ND	+	
Salbutamol intermediate		Pharmaceutical	(403)	1	NA	-	ND	ND	+	
Amprolium hydrochloride		Poultry feed mixer	(404)	1	NA	ND	ND	ND	+	
Tetracycline	60-54-8	Pharmaceutical	(405)	1	NA	ND	ND	ND	+	
Isonicotinic acid hydrazide	54-85-3	Hospital pharmacy	(406)	1	NA	+	+	ND	+	
Hydralazine	86-54-4	Pharmaceutical	(407)	1	NA	-	-	- Specific IgG	+	
Tylosin tartrate	1405-54-5	Pharmaceutical	(408)	1	NA	ND	ND	ND	+	
Ipecacuanha	8012-96-2	Pharmaceutical	(409)	42	48%	52% of 19 +	66% of 18 +	ND	ND	
Cimetidine	51481-61-9	Pharmaceutical	(410)	4	NA	ND	ND	ND	25% +	

### Agents Causing Occupational Asthma With Key References

• **Drugs**

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
Thiamine	59-43-8	Cereal manufacture	(411)	1	NA	ND	-	ND	+	
Aescin	6805-41-0	Pharmaceutical	(412)	1	NA	ND	ND	ND	+	
Lasamide (precursor of furosemide)	2736-23-4	Chemical worker	(413)	3	NA	3 +	ND	ND	+	
5-aminosalicylic acid	89-57-6	Pharmaceutical	(414)	1	NA	Neg	ND	ND	+	
Piperacillin		Pharmaceutical	(415)	1	NA	+	ND	ND	+	
Ceftazidime		Pharmaceutical	(416)	1	NA	ND	ND	ND	+	
Opiate compounds		Pharmaceutical	(417)	39	26%	+	ND	ND	ND	PEF
		Pharmaceutical	(418)	4	14%	+	+	ND	+	Pre-post shift FEV1
Amoxicillin	26787-78-0	Pharmaceutical	(419)	1	NA	-	-	ND	+	
Vancomycin		Pharmaceutical	(420)	1	NA	ND	ND	ND	Histamine release	PEF
Mitoxantrone	65271-80-9	Nurse	(421)	1	NA	ND	ND	ND	+	PEF Alveolar lavage
Tafenoquine ( (R)-N3-(2,6-Dimethoxy-4-methyl-5-(3-trifluoromethyl)phenoxy)quinolin-8-yl)pentane-1,4-diamine )		Pharmacist	(422)	1	NA	ND	Negative	ND	+	
Ranitidine (1,1-Ethenediamine, N-[2-[[[5-[(dimethylamino)methyl]-2-furanyl]methyl]thio]ethyl]-N'-methyl-2-nitro)		Pharmacist packaging pharmaceutical company	(423)	1	NA	-	ND	ND	+	

## Agents Causing Occupational Asthma With Key References

### • Reactive dyes

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Reactive dye		Reactive dyes manufacture	(424)	309	25%	7% + orange 8% + black	17% + orange 17% + black	ND	65% of 20 +	
		Wool dye house	(425)	6	NA	ND	83% +	100% +	ND	
		Textile dyehouse	(426)	162	NA	NA	85% of 5 +	ND	ND	
Levafix brilliant yellow E36		Preparation of dye solution	(427)	1	NA	+	ND	ND	+	
Drimaren brilliant yellow K-3GL		Textile industry	(428)	1	NA	+	ND	ND	+	
Black henna (Indigofera argentea)		Herbal shop sales	(429)	1	NA	+	+	ND	ND	PEF
FD&C blue dye #2	860-22-0	Food industry	(430)	1	NA	-	-	ND	+	
Cibachrome brilliant scarlet 32		Textile industry	(428)	1	NA	+	ND	ND	+	
Drimaren brilliant blue K-BL		Textile industry	(428)	1	NA	+	ND	ND	+	
Lanasol Yellow 4G		Dyer	(428)	1	NA	+	ND	ND	+	
Synozol Red-K 3BS		Textile worker	(431)	1	NA	+	+	ND	+	
Carmine	1390-65-4	Dye manufacture	(432)	10	NA	30% +	30% +	ND	100% of 1	
Monascus ruber		Delicatessen plant	(433)	1	NA	+	ND	+ Immunoblotting	+	PC20



## Agents Causing Occupational Asthma With Key References

### • Biocides

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Hexachlorophene	70-30-4	Hospital staff (sterilizing agent)	(434)	1	NA	ND	ND	ND	+	
Chlorhexidine	55-56-1	Nurse	(435)	2	NA	ND	ND	ND	+	
Glutaraldehyde	111-30-8	Hospital endoscopy unit	(436)	9	89%	ND	ND	ND	ND	Questionnaire
		Endoscopy & Radiology	(437)	8	NA	ND	ND	ND	7/8 +	PEF
Ortho-Phthalaldehyde	643-79-8	Endoscopy unit	(438)	1	NA	ND	ND	ND	ND	Improvement while away from work
Hydroxylamine	7803-49-8	Paper recycling	(439)	2	NA	ND	ND	ND	1+	PEF
		Endoscopy unit	(440)	2	NA	ND	ND	ND	2+	PEF
Chloramine T	127-65-1	Chemical manufacturing	(441)	6	NA	100% +	ND	66% + passive transfer	ND	
		Brewery	(442)	7	NA	100% +	ND	ND	ND	Recovery with removal
		Janitor-cleaning	(443)	5	NA	100% of 4 +	ND	ND	100% of 3 +	
Chloramine (unspecified)		Lifeguard, Swimming teacher	(444)	3	NA	ND	ND	ND	+	PEF
Lauryl dimethyl benzyl ammonium chloride	139-07-1	Pharmacist	(445)	1	NA	ND	ND	ND	+	PEF
Isothiazolinone (unspecified)		Chemical plant	(446)	1	NA	ND	ND	ND	+	

### • Fungicides

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Tetrachloroisophthalonitrile	1897-45-6	Farmer	(447)	1	NA	ND	-	+ Patch test	+	FEV1 recording at work
Tributyl tin oxide	56-35-9	Venipuncture technician	(448)	1	NA	-	ND	ND	+	
Captafol	2425-06-1	Chemical manufacturing	(449)	1	NA	-	ND	ND	+	

## Agents Causing Occupational Asthma With Key References

### • Chemicals

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Polyvinyl chloride (fumes)		Meat wrapper	(450)	96	69%	ND	ND	ND	27% of 11 +	
Polyvinyl chloride (fumes and powder)		Meat wrapper	(451)	3	NA	ND	ND	ND	ND	History only
Polyvinyl chloride (powder)	9002-86-2	Manufacture bottle caps	(452)	1	NA	ND	ND	ND	+	PEF
Organic phosphate insecticides		Chemical packaging plant	(453)	1	NA	ND	ND	ND	ND	History only
Tetramethrin	7696-12-0	Extermination	(454)	1	NA	-	ND	ND	+	PC20
Persulfate salts (ammonium, potassium, sodium)		Hairdressing	(455)	2	NA	+	ND	ND	+	
		Hairdressing	(456)	2	NA	+	ND	ND	+	
		Hairdressing	(457)	23	17%	4% +	ND	ND	100% of 4 +	
		Hairdressing	(458)	1	NA	-	ND	ND	+	
		Hairdressing	(459)	1	NA	ND	ND	ND	+	
Eugenol	97-53-0	Hairdressing	(460)	1	NA	-(prick) +patch	ND	Mononuclear proliferation	+	
Diazonium salt		Manufacture of photocopy paper	(461)	1	NA	ND	ND	ND	+	
		Manufacture of fluorine polymer precursor	(462)	45	56%	ND	20% +	ND	100% of 2	
Urea formaldehyde	9011-05-6	Resin	(463)	2	NA	-	ND	ND	+	
		Resin	(464)	3	NA	ND	ND	ND	100% of 3	
		Manufacture of foam	(465)	1	NA	ND	ND	ND	+	
Popcorn flavoring chemical		Popcorn makers	(466)	3	NA	ND	ND	ND	ND	
Freon (unspecified)		Refrigeration	(467)	1	NA	ND	ND	ND	+	
Furfuryl alcohol (furan based resin)		Foundry mold making	(468)	1	NA	ND	ND	ND	+	
Styrene	100-42-5	Plastics factory	(469)	2	NA	-	ND	ND	+	
Azobisformamide	123-77-3	Plastics, rubber	(470)	151	18,5%	ND	ND	ND	ND	Removal with improvement
		Plastic	(471)	2	NA	ND	ND	ND	+	
		Plastics	(472)	4	NA	ND	ND	ND	100% of 2 +	

## Agents Causing Occupational Asthma With Key References

### • Chemicals

Agent	CAS number	Occupation	References	Subjects		Skin test	Specific IgE	Other immunological tests	Broncho provocation test	Other evidence
				(n)	Prevalence					
Sodium isononanoyl oxybenzene sulfonate		Laboratory technician	(473)	1	NA	ND	ND	ND	+	
Peptide coupling reagent (TBTU and HBTU)		Laboratory technician	(474)	1	NA	+	Neg	ND	+	
3-amino-5-mercapto-1,2,4-triazole	16691-43-3	Herbicide production	(475)	6	NA	ND	ND	Specific IgG	ND	PEF
Tetrazene	31330-63-9	Detonator manufacturer	(476)	1	NA	ND	ND	ND	+	PEF
Polyethylene	9002-88-4	Paper packer	(477)	1	NA	ND	ND	ND	+	PEF
Tall oil	8002-26-4	Rubber tyre manufacturer	(478)	1	NA	-	ND	- Patch test	+	PEF
Sulfites (unspecified)		Water plant	(479)	1	NA	-	ND	ND	Oral +	
Sodium metabisulfite	7681-57-4	Food processor	(480)	1	NA	ND	ND	ND	+	
Sodium bisulfite	7631-90-5	Fishing industry	(481)	1	NA	ND	ND	ND	+	
Polypropylene	9003-07-0	Bag manufacturer	(482)	1	NA	ND	ND	ND	+	PEF
Polyester		Painter	(483)	1	NA	ND	ND	ND	+	Alveolitis
Glacial acetic acid	64-19-7	Pickling	(484)	1	NA	ND	ND	+	ND	
Ninhydrin	485-47-2	Laboratory worker	(485)	1	NA	ND	ND	ND	+	PEF
1,2-Benzisothiazolin-3-one	2634-33-5	Chemical worker	(486)	1	NA	ND	ND	ND	+	
Metabisulfite		Agricultural producer	(480)	1	NA	ND	ND	ND	ND	

## Agents Causing Occupational Asthma With Key References

### • Health Care

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Ethylene oxide	75-21-8	Nurse	(487)	1	NA	ND	+	ND	+	Changes in PC20
Enflurane	13838-16-9	Hospital staff	(488)	1	NA	ND	ND	ND	+	
Sevoflurane + isoflurane		Anesthesiology staff	(489)	3	NA	ND	ND	ND	+	
Methyl blue	28983-56-4	Hospital staff	(490)	1	NA	ND	ND	ND	+	
Terpene		Hospital staff	(491)	1	NA	ND	ND	ND	+	
Radiographic fixative		Hospital staff	(492)	1	NA	ND	ND	ND	+	
Sulfathiazole	72-14-0	Hospital staff	(493)	2	NA	-	ND	ND	+	
Formaldehyde	50-00-0	Hospital staff	(494)	28	29% *	ND	ND	ND	50% of 4 +	
		Different industries	(495)	15	NA	ND	ND	ND	60% +	
		Different industries	(496)	230	5%	ND	ND	ND	5% +	
Methyl methacrylate & cyanoacrylates		Adhesive	(497)	7	NA	ND	ND	ND	86% +	PEF
		Nurse	(498)	1	NA	ND	ND	ND	+	
		Glue	(499)	1	NA	ND	ND	ND	+	PEF monitoring
		Fingernail	(500)	1	NA	ND	ND	ND	+	
Triacrylate (unspecified)		Printing	(501)	1	NA	ND	ND	ND	+	
Ethoxylated-2-bisphenol-A-diacrylate	64401-02-1	Autobody shop	(502)	1	NA	ND	ND	ND	+	

### • Synthetic Material

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects (n)</i>	<i>Prevalence</i>	<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
Plexiglass		Factory	(503)	1		ND	ND	ND	+	Pre-post change in FEV1
Tooth enamel dust		Dentist	(504)	1	NA	ND	ND	ND	ND	
ECG ink		Laboratory nurse	(490)	1	NA	+	ND	ND	+	

### Agents Causing Occupational Asthma With Key References

• Unidentified

<i>Agent</i>	<i>CAS number</i>	<i>Occupation</i>	<i>References</i>	<i>Subjects</i>		<i>Skin test</i>	<i>Specific IgE</i>	<i>Other immunological tests</i>	<i>Broncho provocation test</i>	<i>Other evidence</i>
				<i>(n)</i>	<i>Prevalence</i>					
(?)		Respiratory therapist	(505)	194	19%	ND	ND	ND	ND	Questionnaire
(?)		Mineral analysis laboratory	(506)	21	24% **	ND	ND	ND	ND	Questionnaire PC20
(?) Oil mist		Toolsetter	(507)	1	NA	ND	ND	ND	+	PEF
(?) Metal working fluid		Automobile plant	(508)	12	1,5%	ND	ND	ND	ND	PC20, FEV1
(?) Fluorine		Potroom	(509)	52	NA	ND	ND	ND	ND	History
(?) Aluminum		Potroom	(510)	227	7%	ND	ND	ND	ND	Questionnaire
		Potroom	(511)	35	NA	ND	ND	ND	ND	History
		Potroom	(512)	57	NA	ND	ND	ND	ND	History
		Potroom	(513)	1	NA	ND	ND	ND	+	PEF
Aluminium tetrafluorides ( Potassium aluminium tetrafluoride)		Production line (using a flux)	(514)	5	NA	ND	ND	ND	+	
Aluminium chloride	7446-70-0	Foundry worker	(515)	1	NA	ND	ND	ND	+	PEF
(?) Pulverized fuel ash		Power station attendant	(516)	1	NA	ND	ND	ND	+	PEF

## **Legends**

† : Subjects with symptoms

\* : Based on challenge data

\*\* : Presence of bronchial hyperresponsiveness

NA : not applicable      ND : not done

The number of subjects tested is not specified if it included all subjects; otherwise it is mentioned.

All proportions including 3 or more as the denominator are expressed as %.

BAL : Bronchoalveolar lavage.

FEV1 : Forced expiratory volume in 1 second.

PCA : Passive cutaneous anaphylaxis.

PC20 : Provocative concentration of methacholine causing a 20% fall of FEV1.

PEF : Peak expiratory flow.

PFR : Peak flow rate.

PK : Prausnitz-Küstner reaction or PK test or passive transfer test.

PPI : Polymethylene polyphenylisocyanate.

SDS-PAGE : «Sodium dodecyl sulfate - polyacrylamide gel electrophoresis».

## Agents Causing Occupational Asthma With Key References

### References

- 1 . Malo J, Cartier A, Boulet L. Occupational asthma in sawmills of eastern Canada and United States. *J Allergy Clin Immunol.* 1986;78:392-8.
- 5 . Nordman H, Keskinen H, Tuppurainen M. Formaldehyde asthma-Rare or overlooked? *J Allergy Clin Immunol.* 1985;75:91-9.
- 8 . Black D. The spirit of occupational medicine. *Br Med J.* 1979;2:1622-6.
- 15 . Sheppard D, Eschenbacher W, Epstein J. Lack of bronchomotor response to up to 3 ppm formaldehyde in subjects with asthma. *Env Research.* 1984;35:133-39.
- 23 . Winternitz M. *Collected studies on the pathology of war gas poisoning.* New Haven: Yale University Press, 1920. 1920:1-31.
- 29 . Lutsky I. Occupational asthma in laboratory animal workers. *Occupational asthma.* 1980;Von Nostrand Reinhold, London:193-208.
- 53 . Chan-Yeung M, Grzybowski S. Occupational asthma due to western red cedar (*Thuja Plicata*). *Occupational asthma.* 1980;CA Frazier, ed(Von Nostrand Reinhold, London):79-90.
- 54 . Hendrick D, Fabbri L, Hughes J, Banks D, Barkman H, Connolly M, et al. Modification of the methacholine inhalation test and its epidemiologic use in polyurethane workers. *Am Rev Respir Dis.* 1986;133:600-4.
- 62 . Conso F, Deriaz F, Girard-Wallon C. Risques professionnels dans l'industrie du thermoformage des matières plastiques. *Arch Mal Prof.* 1986;47:37-9.
- 64 . Cirila A. Asthma induced by occupational exposure to metal salts. *Folia Allergol Immunol Clin.* 1985;32:21-8.
- 66 . Banks D, Jr HB, Butcher B, Hammad Y, Rando R, Glindmeyer H, et al. Absence of hyperresponsiveness to methacholine in a worker with methylene diphenyl diisocyanate (MDI)-induced asthma. *Chest.* 1986;89:389-93.
- 67 . Curran A, Burge P, Wiley K. Clinical and immunologic evaluation of workers exposed to glutaraldehyde. *Allergy.* 1996;51:826-32.
- 69 . Moscato G, Naldi L, Candura F. Bronchial asthma due to spiramycin and adipic acid. *Clin Allergy.* 1984;14:355-61.
- 87 . Lowry O, Rosebrough N, Farr A, Randall R. Protein measurement with the folin phenol reagent. *J Biol Chem.* 1951;193:265-75.
- 92 . Innocenti A, Franzinelli A, Sartorelli E. Longitudinal study in isocyanates asthma. *Med Lavoro.* 1981;3:231-7.
- 100 . Reunala T, Bjorksten F, Forstrom L, Kanerva L. IgE-mediated occupational allergy to a spider mite. *Clin Allergy.* 1983;13:383-8.
- 110 . Hagmar L, Welinder H, Dahlquist I. Immunoglobulin E antibodies against a reactive dye — A case report. *Scand J Work Environ Health.* 1986;12:221-2.
- 120 . Alarie J, Karol M, Gauss W. Psyllium-A gum, not a protein. *Chest.* 1985;88:313.
- 121 . NIOSH. A recommended standard to occupational exposure to diisocyanates. US Department of Health, Education, and Welfare. 1979;Center for Disease Control, National Institute for Occupational Safety and Health:Publication No. 78-125.
- 122 . Hagmar L, Welinder H. Prevalence of specific IgE antibodies against piperazine in employees of a chemical plant. *Int Arch Allergy Appl Immunol.* 1986;81:12-6.
- 130 . Tse C, Chen S, Bernstein I. Induction of murine reaginic antibodies by toluene diisocyanate. An animal model of immediate hypersensitivity reactions to isocyanates. *Am Rev Respir Dis.* 1979;120:829-35.
- 147 . Gervais P. Le pneumologue et le medecin du travail devant le risque immuno-allergologique dn milieu professionnel. *Rev Fr Mal Resp.* 1983;11:409-16.
- 148 . Blanc P. Occupational asthma in a national disability survey. *Chest.* 1987;92:613-7.
- 149 . Charan N, Lakshminarayan S, Myers G, Smith D. Effects of accidental chlorine inhalation on pulmonary function. *West J Med.* 1985;143:333-6.

## Agents Causing Occupational Asthma With Key References

- 150 . Gold B, Matthews K, Burge H. Occupational asthma caused by sewer flies. *Am Rev Respir Dis.* 1985;131:949-51.
- 158 . Lutsky I, Bar-Sela S. Northern fowl mite (*Ornithonyssus sylviarum*) in occupational asthma of poultry workers. *Lancet.* 1982;2:874-5.
- 163 . Jr AR, Bleecker E, Epler G, Jones R, Kanner R, Repsher L. Evaluation of impairment/disability secondary to respiratory disorders. *Am Rev Respir Dis.* 1986;133:1205-9.
- 185 . Butcher B, O'Neil C, Reed M, Salvaggio J. Radioallergosorbent testing with p-tolyl monoisocyanate in toluene diisocyanate workers. *Clin Allergy.* 1983;13:31-4.
- 205 . Burge P. Non-specific bronchial hyper-reactivity in workers exposed to toluene di-isocyanate, diphenyl methane di-isocyanate and colophony. *Eur J Respir Dis.* 1982;63, Suppl 123:91-6.
- 206 . Davies R. Respiratory hypersensitivity to diisocyanates. *Clin Immunol Allergy.* 1984;4(1):103-24.
- 212 . Novey H, Keenan W, Fairshter R, Wells I, Wilson A, Culver B. Pulmonary disease in workers exposed to papain: clinico-physiological and immunological studies. *Clin Allergy.* 1980;10:721-31.
- 221 . Chlorine poisoning. *Lancet.* 1984;1:321-2.
- 229 . Frigas E, Filley W, Reed C. Asthma induced by dust from urea-formaldehyde foam insulating material. *Chest.* 1981;79:706-7.
- 230 . Burge P, Perks W, O'Brien I, Hawkins R, Green M. Occupational asthma in an electronics factory. *Thorax.* 1979;34:13-8.
- 231 . Little D. Allergic disease in detergent workers. *Occupational asthma.* 1980;Von Nostrand Reinhold, London:186-92.
- 235 . Fish J. Occupational asthma: a spectrum of acute respiratory disorders. *J Occup Med.* 1982;24:379-86.
- 238 . Herks W, Burge P, Rehahn M, Green M. Work-related respiratory disease in employees leaving an electronics factory. *Thorax.* 1979;34:19-22.
- 255 . Grosclaude M, Kofman J, Perrin-Fayolle M. L'exploration fonctionnelle respiratoire dans les asthmes professionnels. Intérêt des tests réalistes. *Poumon Coeur.* 1980;36:249-54.
- 256 . Innocenti A, Angotzi G. Occupational asthma due to «triplochiton scleroxylon» (samba, obeche). *Med Lavoro.* 1980;3:251-4.
- 257 . Burge P, Perks W, O'Brien I, Burge A, Hawkins R, Brown D, et al. Occupational asthma in an electronics factory: a case control study to evaluate aetiological factors. *Thorax.* 1979;34:300-7.
- 258 . Fabbri L, Chiesura-Corona P, Vecchio LD, Giacomo GD, Zocca E, Marco ND, et al. Prednisone inhibits late asthmatic reactions and the associated increase in airway responsiveness induced by toluene-diisocyanate in sensitized subjects. *Am Rev Respir Dis.* 19
- 259 . Juniper C, 1984;34:127-32. DR. Enzyme asthma: fourteen years' clinical experience of a recently prescribed disease. *J Soc Occup Med.* 1984;34:127-32.
- 260 . Wernfors M, Nielsen J, Schutz A, Skerfving S. Phthalic anhydride-induced occupational asthma. *Int Arch Allergy Appl Immunol.* 1986;79:77-82.
- 262 . Burge PS, Hendy M, Hodgson E. Occupational asthma, rhinitis, and dermatitis due to tetrazene in a detonator manufacturer. *Thorax.* 1984;39:470-1.
- 268 . Burge P, Harries M, Lam W, O'Brien I, Patchett P. Occupational asthma due to formaldehyde. *Thorax.* 1985;40:255-60.
- 269 . Carlesi G, Ferrea E, Melino C, Messineo A, Pacelli E. Aspects of environmental health and of pathology caused by pollution with amoxicillin in a pharmaceutical industry. *Nuovi Annali D Igiene E Microbiologia.* 1979;30:185-96.
- 271 . Orford R, Wilson J. Epidemiologic and immunologic studies in processors of the King crab. *Am J Ind Med.* 1985;7:155-69.
- 276 . Burge P. Occupational asthma due to soft soldering fluxes containing colophony (rosin, pine resin). *Eur J Respir Dis.* 1982;63, Suppl 123:65-7.
- 277 . Saric M, Godnic-Cvar J, Gonzi M, Stilinovic L. The role of atopy in potroom workers' asthma. *Am J Ind Med.* 1986;9:239-42.
- 278 . Bernstein D, Gallagher J, Ulmer A, Bernstein I. Prospective evaluation of chymopapain sensitivity in patients undergoing chemonuclolysis. *J Allergy Clin Immunol.* 1985;76:458-65.



## Agents Causing Occupational Asthma With Key References

- 279 . Alexandersson R, Plato N, Kolmodin-Hedman B, Hedenstierna G. Exposure, lung function, and symptoms in car painters exposed to hexamethylendiisocyanate and biuret modified hexamethylendiisocyanate. *Arch Environ Health*. 1987;42:367-73.
- 281 . Davison A, Britton M, Forrester J, Davies R, Hughes D. Asthma in merchant seamen and laboratory workers caused by allergy to castor beans: analysis of allergens. *Clin Allergy*. 1983;13:553-61.
- 291 . Bar-Sela S, Teichtahl H, Lutsky I. Occupational asthma in poultry workers. *J Allergy Clin Immunol*. 1984;73:271-5.
- 296 . Malo J, Cartier A, Gagnon G, Evans S, Dolovich J. Isolated late asthmatic reaction due to nickel sulphate without antibodies to nickel. *Clin Allergy*. 1985;15:95-100.
- 300 . Maestrelli P, Alessandri M, Vecchio LD, Bartolucci G, Cocheo V. Occupational asthma due to colophony. *Med Lavoro*. 1985;76:371-8.
- 302 . Price J, Longbottom J. Allergy to rabbits. I. Specificity and non-specificity of RAST and crossed-immunoelectrophoresis due to the presence of light chains in rabbit allergenic extracts. *Allergy*. 1986;41:603-12.
- 303 . Chester E, Martinez-Catinchi F, Schwartz H, Horowitz J, Fleming G, Gerblich A, et al. Patterns of airway reactivity to asthma produced by exposure to toluene di-isocyanate. *Chest*. 1979;75:229-31.
- 309 . Chan-Yeung M, Schulzer M, MacLean L, Dorken E, Grzybowski S. Epidemiologic health survey of grain elevator workers in British Columbia. *Am Rev Respir Dis*. 1980;121:329-38.
- 310 . Chan-Yeung M, Wong R, MacLean L, Tan F, Dorken E, Schulzer M, et al. Respiratory survey of workers in a pulp and paper mill in Powell River, British Columbia. *Am Rev Respir Dis*. 1980;122:249-57.
- 315 . Patterson R, Zeiss C, Harris K. Immunological studies in experimental animals of occupational chemical allergens. *Clin Immunol Allergy*. 1984;4(1):159-72.
- 317 . Raghuprasad P, Brooks S, Litwin A, Edwards J, Bernstein I, Gallagher J. Quillaja bark (soapbark)-induced asthma. *J Allergy Clin Immunol*. 1980;65:285-7.
- 318 . White W, Sugden E, Morris M, Zapata E. Isocyanate-induced asthma in a car factory. *Lancet*. 1980;1:756-60.
- 319 . Schepers G. Allergenic occupational air pollutants. Occupational asthma. 1980;Van Nostrand Reinhold, London:307-56.
- 321 . Slankard-Chahinian M. Bakers'asthma. Occupational asthma. 1980;Von Nostrand Reinhold, London:170-8.
- 322 . Sutton R, Wrigley C, Baldo B. Characterization of cereal allergens responsible for bakers'asthma (abstract). *Proc Aust Biochem Soc*. 1981;14:8.
- 326 . Prichard M, Ryan H, Walsh B, Musk A. Skin test and RAST responses to wheat and common allergens and respiratory disease in bakers. *Clin Allergy*. 1985;15:203-10.
- 332 . Block G, Tse K, Kijek K, Chan H, Chan-Yeung M. Baker's asthma. *Clin Allergy*. 1983;13:359-70.
- 335 . Enarson D, Chan-Yeung M, Tabona M, Kus J, Vedal S, Lam S. Predictors of bronchial hyperexcitability in grainhandlers. *Chest*. 1985;87:452-5.
- 337 . Gaddie J, Legge J, Friend J, Reid T. Pulmonary hypersensitivity in prawn workers. *Lancet*. 1980;2:1350-3.
- 339 . Fueki R. Allergy due to pharmacologic dusts. Occupational asthma. 1980;Van Nostrand Reinhold, London:245-56.
- 340 . Bush R, Clayton D. Asthma due to central american walnut (*Juglans olanchana*) dust. *Clin Allergy*. 1983;13:389-94.
- 341 . Tena C, Bahima A, Perez A. Allergens in asthma and baker's rhinitis. *Alergia*. 1985;32:69-73.
- 348 . Valentino M, Comai M. Occupational asthma from azodicarbonamide: case report. *G Ital Med Lav*. 1985;7:97-9.
- 360 . Hakim R, Breillatt J, Lazarus J, Port R. Complement activation and hypersensitivity reactions to dialysis membranes. *New Engl J Med*. 1984;311:878-82.
- 366 . Enarson D, Maclean L, Dybuncio A, Chan-Yeung M, Grzybowski S, Johnson A, et al. Respiratory health at a pulpmill in British Columbia. *Arch Environ Health*. 1984;39:325-30.
- 367 . Twiggs J, Yunginger J, Agarwal M, Reed C. Occupational asthma in a florist caused by the dried plant, baby's breath. *J Allergy Clin Immunol*. 1982;69:474-7.
- 368 . Karol M, Hauth B. Use of hexyl isocyanate antigen to detect antibodies to hexamethylene diisocyanate (HDI) in sensitized guinea pigs and in a sensitized worker. *Fund App Toxicol*. 1982;2:108-13.

## Agents Causing Occupational Asthma With Key References

- 372 . Hargreave F, Ramsdale E, Pugsley S. Occupational asthma without bronchial hyperresponsiveness. *Am Rev Respir Dis.* 1984;130:513-5.
- 373 . Maurice F, Rivory J, Larsson P, Johansson S, Bousquet J. Anaphylactic shock caused by formaldehyde in a patient undergoing long-term hemodialysis. *J Allergy Clin Immunol.* 1986;77:594-7.
- 380 . Patterson R, (editorial) CZ. Trimellitic anhydride respiratory reactions, from suspicion to control. - A story of cooperation. *J Allergy Clin Immunol.* 1983;72:647-8.
- 381 . Burge P, Finnegan M, Horsfield N, Emery D, Austwick P, Davies P, et al. Occupational asthma in a factory with a contaminated humidifier. *Thorax.* 1985;40:248-54.
- 386 . Kramps J, van Toorenenbergen A, Vooren P, Dijkman J. Occupational asthma due to inhalation of chloramine-T. II. Demonstration of specific IgE antibodies. *Int Arch Allergy Appl Immunol.* 1981;64:428-38.
- 396 . Brubaker R, Muranko H, Smith D, Beck G, Scovel G. Evaluation and control of a respiratory exposure to 3-(Dimethylamino)propylamine. *JOM.* 1979;21:688-90.
- 397 . Newman-Taylor A. Occupational asthma. *Thorax.* 1980;35:241-5.
- 400 . Lob M, Boillat M. Delayed asthma on diphenylmethane diisocyanate (MDI). *Schweiz Med Wschr.* 1981;111:150.
- 401 . Henderson A, Ranger A, Lloyd J, McSharry C, Mills R, Morgan F. Pulmonary hypersensitivity in the alginate industry. *Scott Med J.* 1984;29:90-5.
- 402 . Sutton R, Skerritt J, Baldo B, Wrigley C. The diversity of allergens involved in bakers'asthma. *Clin Allergy.* 1984;14:93-107.
- 405 . Nagy L, Orosz M. Occupational asthma due to hexachlorophene. *Thorax.* 1984;39:630-31.
- 406 . Patterson R, Zeiss C, Roberts M, Pruzansky J. Human antihapten antibodies in trimellitic anhydride inhalation reactions. *J Clin Invest.* 1978;62:971-8.
- 409 . Connolly M, Hendrick D. Occupational asthma. Update on a proliferating problem. *Postgraduate medicine.* 1984;76 (no 5):179-88.
- 410 . Guérin B, Hewitt B. A comparative study of allergen extracts from cat fur, cat pelt and cat saliva. *Ann Allergy.* 1981;46:127-31.
- 434 . Ameille J, Brochard P, Palmas JD, Proteau J. Toxicité des isocyanates chez l'homme. Analyse de la relation dose-effet. *Arch Mal Prof.* 1985;46:385-91.
- 435 . McMillan G, editor Metal fume fever. *Occup Health;* 1986.
- 442 . Towbin H, Staehelin T, Gordon J. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *PNAS.* 1979;76:4350-4.
- 443 . Reed C. Occupational asthma. A challenge in patient management and community care. *Postgrad Med.* 1981;70:140-53.
- 457 . Karr R. Bronchoprovocation studies in coffee worker's asthma. *J Allergy Clin Immunol.* 1979;64:650-4.
- 461 . Musk A, Tees J. Asthma caused by occupational exposure to vanadium compounds. *Med J Aust.* 1982;1:183-4.
- 463 . Dijkman J, Vooren P, Kramps J. Occupational asthma due to inhalation of chloramine-T. 1. Clinical observations and inhalation-provocation studies. *Int Archs Allergy Appl Immunol.* 1981;64:422-7.
- 465 . Chan-Yeung M. Immunologic and nonimmunologic mechanisms in asthma due to western red cedar (*thuja plicata*). *J Allergy Clin Immunol.* 1982;70:32-7.
- 467 . Finnegan M, Pickering C, Burge P. The sick building syndrome: prevalence studies. *Br Med J.* 1984;289:1573-5.
- 468 . Davies G, McArdle L. Allergy to laboratory animals: a survey by questionnaire. *Int Arch Allergy Appl Immunol.* 1981;64:302-7.
- 469 . Toorenenbergen Av, Dieges P. Occupational allergy in horticulture: demonstration of immediate-type allergic reactivity to freesia and praprika plants. *Int Archs Allergy Appl Immun.* 1984;75:44-7.
- 470 . Cartier A, L'Archevêque J, Malo J. Exposure to a sensitizing occupational agent can cause a long-lasting increase in bronchial responsiveness to histamine in the absence of significant changes in airway caliber. *J Allergy Clin Immunol.* 1986;78:1185-9.
- 471 . Brooks S. Occupational asthma. *Chest.* 1985;87:218S-22S.
- 472 . Frigas E, Filley W, Reed C. Bronchial challenge with formaldehyde gas: lack of bronchoconstriction in 13 patients suspected of having formaldehyde-induced asthma. *Mayo Clin Proc.* 1984;59:295-9.

## Agents Causing Occupational Asthma With Key References

---

- 473 . Bernstein D, Roach D, McGrath K, Larsen R, Zeiss C, Patterson R. The relationship of airborne trimellitic anhydride concentrations to trimellitic anhydride-induced symptoms and immune response. *J Allergy Clin Immunol.* 1983;72:709-13.
- 476 . Bland S, Levine M, Wilson P, Fox N, Rivera J. Occupational allergy to laboratory animals: an epidemiologic study. *J Occup Med.* 1986;28:1151-7.
- 494 . Wolkonsky P. The industrial physician and occupational lung disease. *J Allergy Clin Immunol.* 1982;70:67-9.
- 495 . Cordasco E, Lira Jr R, Demeter S, Wagner W. Industrial technology includes hazardous inhalants. *Occup Health Saf.* 1980;49:42-4.
- 496 . Brennan N. Pig Butcher's asthma — case report and review of the literature. *Irish Med J.* 1985;78:321-2.
- 497 . Chang K, Karol M. Diphenylmethane diisocyanate (MDI)-induced asthma: evaluation of the immunologic responses and application of an animal model of isocyanate sensitivity. *Clin Allergy.* 1984;14:329-39.
- 498 . Ryan G, Cookson W, Musk A. Allergy and nonallergic bronchial reactivity as determinants of work-related respiratory symptoms in seasonal grain handlers. *Chest.* 1985;87:215S.
- 503 . Novey H, Habib M, Wells I. Asthma and IgE antibodies induced by chromium and nickel salts. *J Allergy Clin Immunol.* 1983;72:407-12.
- 506 . Smoking, occupation, and allergic lung disease. *Lancet;* 1985.